



# MATERIAL SAFETY DATA SHEET

## SECTION 1 — PRODUCT IDENTIFICATION

**Product identifier:** Albatross L.U.V. Graphics Press Wash

**Product Number:** 4012, 4013 & 4014

**Chemical Formula:** Mixture of proprietary solvents

**Manufacturer's name and address:** Refer to supplier

**Supplier name and address:**

### ***ALBATROSS USA INC./EXPERT WORLDWIDE***

36-41 36<sup>th</sup> Street  
Long Island City, New York  
United States  
11106  
718-392-6272

5439 San Fernando Road West  
Los Angeles, California  
United States  
90039  
818-543-5850

**Emergency Telephone #:** Chemtrec (Day or Night) 800-424-9300  
(For Chemical Emergency: Spill, Leak, Fire, Exposure or Accident)

IMPORTANT: Read this MSDS before handling and disposing of this product. Pass this information on to employees, customer, and users of this product.

## SECTION 2 — INGREDIENTS

| Component(s)                  | CAS No.  | OSHA PEL              | ACGIH TLV \ |
|-------------------------------|----------|-----------------------|-------------|
| Propylene Glycol Methyl Ether | 107-98-2 | 240 mg/m <sup>3</sup> |             |

Ingredients withheld as trade secret information permitted by 29 CFR 1910.1200 and New Jersey trade secret reg. TSRN 201400840.00981028. All necessary information concerning the properties of the product are enclosed below.

## SECTION 3 — PHYSICAL PROPERTIES

|   |                                     |
|---|-------------------------------------|
| <b>Boiling Point :</b> 250 F                        | <b>Solubility in Water:</b> Soluble |
| <b>Freezing Point:</b> No Data                      | <b>Physical State:</b> Liquid       |
| <b>Melting Point:</b> Not Applicable                | <b>Appearance:</b> Clear liquid     |
| <b>DOT Shipping Class:</b> Not Regulated            |                                     |
| <b>Vapor Pressure @ 20 C:</b> 7 mm/liter Hg         |                                     |
| <b>Total V.O.C. Content @ 20 C:</b> 895 grams/liter |                                     |

## SECTION 4 — FIRE AND EXPLOSION HAZARD DATA

|  |                     |                     |
|--|---------------------|---------------------|
| <b>Flash Point:</b> 151 F  | <b>UEL:</b> Unknown | <b>LEL:</b> Unknown |
| <b>Autoignition Temperature:</b> Not   |                     |                     |
| <b>Extinguisher Media:</b> Dry chemical, CO2, waterspray, foam.  |                     |                     |
| <b>Special Firefighting Procedures:</b> Firefighters should wear normal protective equipment and self-contained breathing apparatus. |                     |                     |

**Unusual Fire & Explosion Hazards:** Do not enter fire area without proper protection. Fight fire from safe distance/protected. Heat may build pressure/rupture closed containers.

## SECTION 5 — HEALTH HAZARD DATA – SLIGHT HEALTH HAZARD

### HMIS INFORMATION:

Health: 1 Flammability: 1 Reactivity: 0 Protective Equipment: B

**Inhalation:** No significant signs or symptoms indicative of any adverse health hazard are expected to occur as a result of inhalation exposure.

**Eye Contact:** May cause eye irritation.

**Skin Absorption:** This product is not expected to be a health hazard by skin absorption.

**Skin Irritation:** No irritation.

**Ingestion:** This product may be a hazard if ingested in large quantities.

## SECTION 6 — EMERGENCY AND FIRST AID

### FIRST AID PROCEDURES:

**Eye:** Flush eyes with large quantities of water for for 20-30 minutes. Seek medical attention.

**Skin:** Wash area with soap and water. If irritation occurs, seek medical attention.

**Inhalation:** Remove victim to fresh air.

**Ingestion:** Drink plenty of water. Seek medical attention immediately.

## SECTION 7 — PRECAUTIONS FOR SAFE HANDLING & USE

**Respiratory:** No special respiratory protection equipment is recommended under anticipated conditions of normal use with adequate ventilation.

**Eye:** Wear chemical splash goggles and or face shield when possibility exists for eye contact via splash or spray.

**Skin:** Wear rubber gloves to protect hands. Wear protective clothing to avoid contact with skin.

**Engineering Controls:** Recommended local exhaust and general room ventilation to prevent exceeding TLV, if necessary.

**Conditions to Avoid:** Heat, flames and sparks.

**Materials to Avoid:** Strong oxidizing or reducing agents.

## SECTION 8 — SPILL AND DISPOSAL

**Spills:** Wear appropriate personal protective clothing. If spill is indoors, ventilate area of spill. Place absorbent sweeping compound on spill. Scoop up with shovel and place in suitable container.

**Waste Disposal:** Dispose of via a licensed disposal firm in accordance with all federal, state, and local regulations.

**Storage:** Keep containers tightly closed when not in use. Store away from incompatibles. Store in a cool, dry, well ventilated area.

## SECTION 9 — DOT INFORMATION

**DOT Shipping Name:** Combustible Liquid, N.O.S. NA 1993, PG-III Combustible Liquid

Not DOT Regulated on trucks in containers of < 119 gallons.

**Drum Label:** None (Combustible Liquid)

**IATA/ICAO:** None

**IMO/IMDG:** None

## **SECTION 10 — PREPARATION INFORMATION**

**Prepared By:** Albatross USA, Inc.

**Date Prepared:** March 1, 1999

**Date Revised:** November 13, 2009

The information above is believed to be accurate and represents the best information currently available to us. However, Albatross makes no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.